

**RECEIVED  
CENTRAL FAX CENTER**

OCT 07 2005

**Certificate of Transmission**

I hereby certify that this correspondence is being facsimile transmitted to the Patent and Trademark Office (Fax No.: 571-273-8300 on October 03, 2005). The communication includes 3 pages.  
Typed or printed name of person signing this certificate

Dr. Paul Vincent, Reg. No. 37,461

Signature: Paul Vincent

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

|                  |                        |             |
|------------------|------------------------|-------------|
| Applicant:       | HEID, Hans L. et al.   | ) Examiner: |
| Application No.: | 10/527,750             | ) unknown   |
| Filing Date:     | March 14, 2005         | ) Art Unit: |
| For:             | TEMPERING DEVICE FOR A | ) unknown   |
|                  | MICROTOME              | )           |

Atty. Docket No.:U195US(PCT)

**TRANSMITTAL LETTER FOR FILING RECEIPT CORRECTION**

FILING RECEIPT CORRECTIONS  
OIPE  
Alexandria, VA 22313-1450  
U.S.A.

Please correct the address of the first Inventor as indicated on the hand-corrected enclosed copy to replace "Schubertstrasse" with --

Bammental --.

2

*Paul Vincent*

Dr. Paul Vincent

Reg. No. 37,461

Agent for the Applicant

*October 07, 2005*

Date

Enclosures:

Hand Corrected Filing Receipt

Kohler Schmid Moebus

Patentanwälte

Ruppmannstrasse 27

D-70565 Stuttgart

Germany

Telephone: 49-711-78 47 30

Fax : 49-711-78 00 996


 SA → HK  
 UNITED STATES PATENT AND TRADEMARK OFFICE

 UNITED STATES DEPARTMENT OF COMMERCE  
 United States Patent and Trademark Office  
 Address COMMISSIONER FOR PATENTS  
 P.O. Box 1450  
 Alexandria, Virginia 22313-1450  
 www.uspto.gov

| APPL NO.   | FILING OR 371<br>(c) DATE | ART UNIT | FIL FEE REC'D | ATTY DOCKET NO | DRAWINGS | TOT CLMS | IND CLMS |
|------------|---------------------------|----------|---------------|----------------|----------|----------|----------|
| 10/527,750 | 03/14/2005                | 3736     | 900           | U195US(PCT)    |          | 14       | 1        |

CONFIRMATION NO. 9165

 20469  
 KOHLER SCHMID MOEBUS  
 RUPPMANNSTRASSE 27  
 D-70565 STUTTGART,  
 GERMANY

## FILING RECEIPT



\*OC000000016958091\*

Date Mailed: 09/19/2005

Receipt is acknowledged of this regular Patent Application. It will be considered in its order and you will be notified as to the results of the examination. Be sure to provide the U.S. APPLICATION NUMBER, FILING DATE, NAME OF APPLICANT, and TITLE OF INVENTION when inquiring about this application. Fees transmitted by check or draft are subject to collection. Please verify the accuracy of the data presented on this receipt. If an error is noted on this Filing Receipt, please mail to the Commissioner for Patents P.O. Box 1450 Alexandria Va 22313-1450. Please provide a copy of this Filing Receipt with the changes noted thereon. If you received a "Notice to File Missing Parts" for this application, please submit any corrections to this Filing Receipt with your reply to the Notice. When the USPTO processes the reply to the Notice, the USPTO will generate another Filing Receipt incorporating the requested corrections (if appropriate).

## Applicant(s)

 Commercial  
 Hans L. Heid, Schubertstrasse, GERMANY; ✓  
 Dieter Teppke, Schwetzingen, GERMANY; ✓  
 Reiner Fank, Rauenberg, GERMANY; ✓  
 Manfred Berleth, Eppelheim, GERMANY; ✓

## Assignment For Published Patent Application

MICROM INTERNATIONAL GMBH, WALLDORF, GERMANY ✓

Power of Attorney: The patent practitioners associated with Customer Number 20469. ✓

## Domestic Priority data as claimed by applicant

This application is a 371 of PCT/EP03/09856 09/05/2003 ✓

## Foreign Applications

GERMANY 102-44-055.7 09/21/2002 ✓

Projected Publication Date: To Be Determined - pending completion of Security Review

Non-Publication Request: No

Early Publication Request: No